Tri Art Manufacturing Inc. 4 Harvey Street Kingston, Ontario, K7K 5B9 Canada (613) 541-0299

PRODUCT: Ultra Black Border

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Kingston Ontario Canada K7K 5B9

1-888-541-0299

24 hour emergency phone number................ (613) 541-0299 (9 am to 5 pm EST).

SECTION 02: HAZARDS IDENTIFICATION

Signal Word...... Not hazardous.

handling. Do not ingest this product and wash hands before consuming food.

mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting. Ingestion of larger amounts may cause defects to the central nervous system (e.g.

dizziness, headache).

| SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS | | | | |
|----------------------------------------------------|------|-------|--|--|
| HAZARDOUS INGREDIENTS | CAS# | WT. % | | |

This product does not contain any ingredients that are hazardous

None

SECTION 04: FIRST AID MEASURES

with your doctor. .

Additional Information...... Treat symptomatically.

SECTION 05: FIRE FIGHTING MEASURES

Extinguishing Media...... This product does not burn in its liquid form. Use extinguishing media suitable to the

surrounding fire.

Hazardous Combustion Products...... Carbon oxides in the event the dried paint is involved in a fire.

impact or static discharge.

SECTION 06: ACCIDENTAL RELEASE MEASURES

walking on spilled product.

Emergency Procedures...... Keep children and all others away from spilled material.

Methods / Materials For Containment............ Use suitable absorbent materials such as cloth, rags, sponges, or paper towels .

Powered by



PRODUCT: Ultra Black Border

SECTION 07: HANDLING AND STORAGE

Handling Precautions..... Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from extreme heat and flame. Keep containers tightly closed when not in use. Storage Requirements..... Store in a cool, dry, well ventilated area. Do not freeze. Recommended storage temperature: 0 - 30°C (32 - 86°F).

SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

| INGREDIENTS | TWA ACG | SIH TLV STEL | OSH/ PEL | A PEL STEL | NIOSH REL | |
|------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------|--|
| This product does not contain any ingredients that are hazardous | Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| Protective Equipment Clothing/Type Eye/Type Gloves/Type Engineering Controls | | No special protective clothing is required to use this product. Take the necessary precautions to avoid liquid contact with eyes. No gloves are required to handle this product. | | | | |

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance..... Color...... Black. Mild odour. Odour..... Odour Threshold (ppm)..... Vapour Density (Air = 1)..... No data available. No data. Vapour Pressure (mm Hg)..... Similar to water. Solubility Dilutable in water. Initial Boiling Point / Boiling Range...... Evaporation Rate......Flash Point (deg C), Method..... 100°C / 212°F. Similar to water. Non-flammable. Not applicable. Not applicable. Not applicable. Coefficient of Water/Oil Distribution..... No data. % Volatile By Weight..... 71-75% (water). Viscosity..... 2000 - 5200 poise, #92 spindle.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Conditions..... Avoid extreme heat or freezing temperatures. Stability..... Stable under the recommended storage and handling conditions prescribed. Hazardous Polymerization..... Will not occur. Hazardous Products Of Decomposition...... None known, refer to hazardous combustion products in Section 5. Incompatibility..... There are no known incompabilities. Note On Decomposition..... Not applicable.

SECTION 11: TOXICOLOGICAL INFORMATION

| INODEDIENTO | 1.050 | 1.050 |
|-------------|--------|-------|
| INGREDIENTS | 1 LC50 | LD50 |
| | | ~ ~ |

This product does not contain any ingredients that are hazardous Not applicable Not applicable

Skin and eye contact are possible routes of exposure. Mists and vapours are unlikely to be Route Of Exposure..... Effects Of Acute Exposure.....

generated during intended use of this product. Do not take internally or ingest this product. Ingestion of large amounts may be harmful. If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Direct skin contact may result in little or no irritation. Prolonged contact may be more irritating. Eye contact may cause mild transient irritation. May cause irritation of mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting.



PRODUCT: Ultra Black Border

SECTION 11: TOXICOLOGICAL INFORMATION

Effects Of Chronic Exposure..... None known.

Carcinogenicity Of Material..... Contains carbon black, an IARC 2B carcinogen. However, the carbon black

used in this product is in a non-respirable form and under normal conditions of use carbon

black cannot become airborne. The carcinogenic effects of carbon black are therefore not

applicable to this product.

Aggravated Medical Conditions..... None are anticipated under normal use.

Use of this product following our recommended instructions should not cause any health hazards, other than those indicated above . Note.....

SECTION 12: ECOLOGICAL INFORMATION

Data From Toxicity Tests..... Data from toxicity tests are not available at this time .

Environmental..... No data at this time

Bioaccumulation Potential..... No data available at this time. Other Adverse Effects..... No data available at this time. Absorption Potential..... No data available at this time.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Empty containers should be recycled in accordance with local municipal recycling

practices. Containers that are not empty should be brought to your local waste paint

recycling facility

Appropriate Disposal Considerations..... Wherever possible unused paint should be brought to your local waste paint facility.

Properties Affect Disposal..... None anticipated.

Sewage Disposal Comments..... Wherever possible, paint should not be washed down the sewer.

SECTION 14: TRANSPORT INFORMATION

UN Number..... Not regulated. UN Proper Name..... Not regulated. Transport Hazard Classification..... Not regulated. Packaging Group (If Applicable)..... Not regulated. Environmental Hazards..... None known.

Guidance On Transport In Bulk..... Not regulated. Guidance on transport by air (IATA)..... This product is not classified as a dangerous good per IATA Dangerous Goods

Regulations. Any Special Precautions.....

None known.

SECTION 15: REGULATORY INFORMATION

Globally Harmonized System Classification.. Not classified. WHMIS Classification..... Not controlled.

CEPA Status..... The ingredients in this product appear on the DSL.

TSCA Inventory Status..... All ingredients are listed on the TSCA inventory. This product is not considered hazardous. OSHA.....

SARA TITLE III Section 302 - Extremely Hazardous None.

Substances

Section 311/312 - Hazard Categories..... Not applicable.

SARA Section 313..... This material is not subject to SARA notification requirements, since it does not contain any

Toxic Chemical constituents above de minimus concentrations.

EPA Hazardous Air Pollutants (HAPS) None.

40CFR63

HS Code..... 3213.10.00.00.

California Proposition 65..... Carbon black is known by the state of California to cause cancer. However, Carbon black

is listed when found in unbound, airborne particles of respirable size.

SECTION 16: OTHER INFORMATION

HDTS Chemicals Inc. - www.hdtschemicals.com - email: service@hdtschemicals.com Prepared By..... This Safety Data Sheet was prepared by Tri-Art Manufacturing and obtained from supplier Disclaimer..... information. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product.



PRODUCT: Ultra Black Border

SECTION 16: OTHER INFORMATION